

References

1. Agrawal, G. L. (1997). "Foil Air/Gas Bearing Technology An Overview". In International Gas Turbine and Aerospace Congress and Exhibition, no. ASME paper 97-GT-347, American Society of Mechanical Engineers.
2. Andres, San L. (1989), "Approximate Design of Statically Loaded Cylindrical Journal Bearings", Transactions of the ASME, Vol. 111, p.390-393.
3. Archard, J.F. (1980), Wear control handbook, M.B. Peterson and W.O. Winer, ed., ASME, New York, 1980, p
4. Ashby, M.F., Kong, H.S., Abulawi, J. (1990) "T-maps, A program for constructing maps for surface heating in unlubricated sliding", Cambridge University Engineering Department, June, 1990.
5. Barus, C. (1893), "Isothermals, Isopiestic and Isometrics relative to viscosity" American Journal of Science, Vol. 45, p.87-96 [p. 185]
6. Bassani, R, Piccigallo, B (1992), "Hydrostatic lubrication", Tribology series 22, Elsevier, ISBN 0 444 88498 x
7. Beauchamp Tower (1883), First Report on Friction Experiments, Proc. Inst. Mech. Engrs., Nov. 1883, pp. 632-659.
8. Begelinger, A. and de Gee, A.W.J. (1967), "Sliding Characteristics of Silver Against Iron as Influenced by Oxygen Concentration, Tribology Transactions, 1547-397X, Volume 10, Issue 2, 1967, Pages 124 – 133
9. Blok, H. (1965) "Topological aspect and the Stooote/Whirl Angle Method in the orbital hydrodynamics of dynamically loaded journal bearings, "Lecture notes, Delft, The Netherlands.
10. Booker, J.F. (1965), "Dynamically loaded journal bearings: Mobility Method of Solution," ASME Journal of Basic Engineering, Sept. 1965, pp. 537-546.
11. Bootsma, J. (1975), "Liquid Lubricated Spiral Groove Bearings", dissertatie 1975, Technische Hogeschool Delft, 189 p.
12. Bos, J. 1995, Frictional heating of tribological contacts, thesis Enschede, ISBN 90-9008920-9.
13. Bowden, F.P. and Tabor, D. (1942), The theory of metallic friction and the role of shearing and ploughing, Bulletin 145, Comm. of Australia, Council Sci. And Ind. Research.
14. Bhushan, B, 2001, "Modern tribology handbook", Volume 2, CRC Press LLC, ISBN 0-8493-8403-6, 1271-1330.
15. Cannon (1999), Bogdanski, S., Stupnicki, J., Brown, M.W. and Cannon, D.F., "A two dimensional analysis of mixed-mode rolling contact fatigue crack growth in rails", European Structural Integrity Society, Volume 25, 1999, Pages 235-248.
16. Cameron, A. (1945), "Determination of the pressure viscosity coefficient and molecular weight of lubricating oils", Jour. Inst. Petrol., 31, 401-414 [p.26]
17. Cameron, A. Wood, W.L. (1949), "The full journal bearing, Proc. Inst. Mech. Engrs., 161, 59-64.
18. Cameron, A. (1966), "The principles of lubrication", Imperial College, Longmans Green and Co LTD.
19. Childs, D., Moes, H., Leeuwen, H. van (1977), "Journal Bearing Impedance Descriptions for Rotordynamic Applications", Journal of Lubrication Technology, Trans. ASME, Series F, Vol.99, No.2, April 1977, p. 189-214
20. Constantinescu, V.N., 1962, "Gas Lubrication, ASME, The American Society of Mechanical Engineers, New York [p.621]
21. Dowson. D. And Higginson, G.R. (1966), "Elasto-hydrodynamic lubrication - The fundamentals of roller and gear lubrication, Pergamon Press, Oxford.
22. Dowson, D. (1979), "History of Tribology", ISBN 0-582-44766-4
23. Drenth, K.F. (2005), "Design considerations of fatigue loaded welded structures", Lecture notes, Delft, The Netherlands
24. Ertel, H.M. (1939), "Hydrodynamic theory of lubrication based on new principles", Academy of Science of the USSR, Department of Technical Sciences, Institute of Mechanics, Moscow [p.135].

25. Ertel, A. Mohrestein- (1984), "Die Berechnung der hydrodynamischen Schmierung gekrümmter Oberflächen unter hoher Belastung und Relativbewegung", Fortschr. - Ber VDI-Z, Reihe 1, Nr. 115, Düsseldorf [p.189]
26. Evans, C.R. (1983), "Measurement and mapping of the rheological properties of elastohydrodynamic lubricants", PhD thesis, University of Cambridge.
27. Frene, J., Nicolas, D., Degueurce, B., Berthe, D., Godet, M. (1997), "Hydrodynamic lubrication, bearings and thrust bearings", Elsevier Tribology series, 33 [p. 470]
28. de Gee, A.W.J. (1995), dictaat deel C+E, Materialen + Toestandsdiagrammen, in Dutch.
29. Gere & Timoshenko (1985), Mechanics of Materials, Second SI Edition, PWS Publishers, ISBN 0 534 05196 0, pp.762
30. Greenwood, J.A., Tripp, J.H. (1967), "The elastic contact of rough spheres", ASME, Journal of Applied Mechanics 34, 153-159.
31. Greenwood, J.A., Williamson, J.B.P. (1966), "Contact of nominally flat rough surfaces", Proc. Instn. Mech. Engrs. 185, 625-633.
32. Gümbel, L. (1914), Monatsblätter Berlin, Bezirksver., V.D.I. 1914, 5.
33. Heide, E. Van der (1971), "Lubricant failure in sheet metal forming processes, Thesis, ISBN 90-365-1724-9
34. Hirs, G.G. (1968), "The design of partly grooved, externally pressurized journal bearings", Journal of Lubrication technology, pp305-311.
35. IOP Oppervlaktetechnologie module 7.1, "Overzicht van ter beschikking staande technieken".
36. Jacobson, Bo, "Rheology and elastohydrodynamic lubrication", Elsevier, Holland, 1991.
37. Johnson, K.L. (1985), "Contact mechanics", Cambridge University press, Cambridge.
38. Kalker, J.J., 1979, "Survey of wheel-rail rolling contact theory", Vehicle Syst. Dynam., 5, 317-358.
39. Kingsbury, A. (1910), "Thrust bearings", US Patent Nr. 947242 [p. 23]
40. Landheer, de Gee, A.W.J. (1993), dictaat deel A, Inleiding dynamische contactverschijnselen
41. Leeuwen, H. van, hand out's dynamically loaded bearings, TU Eindhoven.
42. Lim, S.C., Ashby, M.F. (1987), Overview no.55, Wear-Mechanism Maps, Acta metall. Vol.35. No.1, pp.1-24
43. Lubrecht, A.A.1987, "The numerical solution of the elastohydrodynamically lubricated line- and point contact problem using multigrid techniques, Thesis Twente University.
44. Michell, A.G.M. (1905), "Improvements in thrust and like bearings", British Patent Nr. 875 [p. 23]
45. Moes, H. and Bosma, R. (1971), "Design charts for optimum bearing configuration: 1 The full journal bearing", TRANS. ASME, Journal of Lubrication Technology, 93, 2, 302-306 [p. 97]
46. Moes, H. and Bosma, R. (1972), Film thickness and traction in EHL at point contact. In Proceedings of 1972 ImechE Symposium on Elastohydrodynamic Lubrication, 1972, pp. 149-152.
47. Moes, H. e.a. (1986), "Mobility and Impedance Tensor Methods for full and partial-arc journal bearings", Transactions of the ASME, Vol.108, oct. 1986, pp. 612-620.
48. Moes, H. (2000), "Lubrication and beyond", Utwente lecture notes code 115531, pp.366.
49. Muijderman, E.A. (1964), "Spiral Groove Bearings", thesis 1964, Technische Hogeschool Delft.
50. Muijderman, E.A., 1981, "Uitwendig van druk voorziene vloeistof en gas films", Dictaat Tribotechniek Deel C, TU-Delft [p. 142]
51. Nicoleta M. Ene, Florin Dimofte, "Temperature distribution of a wave journal bearing comparison with test data", Proceedings of the ASME/STLE Int Joint Tribology Conference IJTC2007, San Diego, California USA, IJTC2007-44280
52. Nielsen, L.E. and Landel, R.F. (1994), "Mechanical properties of polymers and composites", ISBN 0-8247-8964-4, 1994
53. Norton, R.L. (2000), "Machine design, an integrated approach", second edition, ISBN0-13-017706-7
54. Ocvirk, F. W. (1952) Short bearing approximation for full journal bearings, NACA TN 2808.
55. Osswald, A., Menges, G. (1995), "Materials science of polymers for engineers", Hansen Publishers, ISBN 1-56990-192-9.

56. Petrusevitch, A.I. (1951), "Fundamental conclusions from the contact-hydrodynamic theory of lubrication", *Izv. Akad. Nauk. SSSR(OTN)*, 2, 209-223.
57. Pinkus, O. (1958), Solution of Reynolds equation for finite journal bearings, *Trans. ASME*, 80
58. Powell, J.W., 1970, "Design of Aerostatic Bearings", The Machinery Publishing Co. LTD, ISBN 0 204 85333 5 [p.279]
59. Rabinowicz, E. (1965), *Friction and wear of materials*, John Wiley & Sons: New York, 1965.
60. Rabinowicz, E. (1980), *Wear Coefficients-Metals*, in *Wear Control Handbook*, M.B. Peterson and W.O. Winer, eds., ASME, New York, 1980, p.491
61. Rayleigh, Lord. (1918), "Notes on the theory of lubrication", *Phil. Mag.*, 35, 1-12
62. Reynolds, O. (1886), "On the theory of lubrication and its application to Mr Beauchamp Tower's experiments, including and experimental determination of the viscosity of olive oil", *Trans. Roy. Soc. of London*, Vol. 177 (part 1), 157-235
63. Roelands, C.J.A. (1966), "Correlational Aspects of the viscosity- temperature pressure relationship of lubricating oils". Thesis, Uitg. V.R.G. Groningen.
64. Rohde, S.M. & McAllister (1975), 'A variational formulation for a class of free boundary problems arising in hydrodynamic lubrication', *Int. J. Engng. Sci.*, 1975, Vol. 13, 841.
65. Roloff / Matek, *Machine-onderdelen*, ISBN 90 395 0482 2
66. Rowe, W.B. (1983), "Hydrostatic and hybrid bearing design", ISBN 0-408-01324-9
67. Raimondi, A.A. Boyd, J. (1958), A solution for the finite journal bearing and its application to analysis and design, I, II, and III, *ASLE Trans.*, 1, 159-209.
68. Rijk, G. et al, "Experimental Investigation of laser surface texturing for reciprocating automotive components", *Tribology Transactions*, Vol 45, pp. 444-449.
69. Sassenfeld, H. Walther, A. (1954), "Gleitlagerberechnungen" *VDI-Forschungsheft* 441, Ausgabe B, Band 20 [p. 86]
70. Schipper, D.J., "Transitions in the lubrication of concentrated contacts", thesis Enschede, ISBN 90-9002448-4, 1987
71. SKF Advanced Bearing Damage Training book, 20-22 June 2001, Steyr, Austria
72. Slob, P.A. NS, (1998), *Conditiebewaking als kostenbesparing*, gastcollege handout in Dutch.
73. Smith, J.O. and Lui, C.K. (1953), "Stresses due to tangential and normal loads on an elastic solid with application to some contact stress problems", *J.Appl. Mech. Trans. ASME*, 75: pp. 157-166.
74. Sommerfeld, A. (1904), "Zur hydrodynamischen Theorie der Schmiermittelreibung", *Zeits. f. Maths. u. Phys.*, 40, 97-155 [p.79]
75. Stribeck, R., 1902, "Die wesentlichen Eigenschaften der Gleit- und Rollenlager", *VDI-Zeitschrift* Vol.46.
76. Talian, T.E., 1992, "Failure atlas for Hertz contact machine elements", ASME Press, New York, ISBN 0-7918-0008-3
77. Technische leergang tandwielen, Schades en hun oorzaken, Delta Press, ISBN 90 6674 849 4.
78. Timoshenko, S.P. and Goodier, J.N. (1982), "Theory of Elasticity", 3rd edn, Mc Graw Hill, New York
79. Tower, B. (1883), "First report on friction experiments", *Proc. Inst. Mech. Engrs.*, 632-659, 2nd report *ibid* (1885) 58-70, 3rd report, *ibid* (1888), 173-205, 4th report, *ibid* (1891) 111-140.
80. Venner, C.H., 1991, "Multilevel solution of the EHL line and point contact problems", Thesis Twente University, pp.130
81. Zhu, G. And Taylor, C.M., 2001, "Tribological analysis and design of a modern automobile cam and follower", Professional Engineering Publishing Limited, ISBN 1 86058 203 6.
82. R.J. Roark and W.C. Young, *Formulas for stress and strain*, 6th edition, McGraw Hill: New York, 1989
83. R.E. Peterson, *Stress concentration factors*, John Wiley & Sons: New York, 1974.